Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/EP05/002567

International filing date: 10 February 2005 (10.02.2005)

Document type: Certified copy of priority document

Document details: Country/Office: US

Number: 60/636,999


Filing date: 17 December 2004 (17.12.2004)


Date of receipt at the International Bureau: 07 April 2005 (07.04.2005)

Remark: Priority document submitted or transmitted to the International Bureau in

compliance with Rule 17.1(a) or (b)







THE BUILD STRINGS DEANIOR CON

TO AND THOM THESE PRESENTS SHAND, COMES

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

January 19, 2005

THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A FILING DATE UNDER 35 USC 111.

APPLICATION NUMBER: 60/636,999
FILING DATE: December 17, 2004

By Authority of the

COMMISSIONER OF PATENTS AND TRADEMARKS

T. LAWRENCE Certifying Officer

	=	
	٠,	4
==		
	≓Γ	•
==	=′	
		_
	ĒC	\ -
==	≣ ``	V
==	<u> </u>	_
	₹ .	
_	=	
	3	

Express Mail Label No. ED3988882	85US			——————————————————————————————————————	63
U	11	NVENTOR(S)	· <u></u>		9249 60/6
Given Name (first and middle [if any])	Family Name or	Surname	(City	Resident Res	ence or Foreign Country)
Jean-Marie	Gouot				Mont D'Or, France
Marie-Claire	Grosjean-Cou	arnoyer			ont D'Or, France
Additional inventors are being named on the		separately num		attached hereto	
		NTION (500 characte			
FUNGICIDAL COMPOSITION CO COMPOUND CAPABLE OF INHI	OMPRISING A 1 BITING THE M	PYRIDYLETHYLB ETHIONINE BIOS	ENZAMID YNTHESIS	E DERIVAT	IVE AND A
Direct all correspondence to:	CORRESPON	IDENCE ADDRESS	<u></u>		•
The address corresponding to Custom	er Number		. _		
	Critaniber.	3446	69		_ .
OR Firm as					
Firm or Individual Name					
Address					
City		State		Zip	
Country		Telephone		Fax	
ENCL	OSED APPLICAT	ION PARTS (check al	ll that apply)		
X Application Data Sheet. See 37 CFR 1	.76	CD(s),	Number of CD:	s ———	
Specification Number of Pages	14	Other (specify)		
Drawing(s) Number of Sheets	,	·	. ,		
	tion and drawings ex	ceed 100 sheets of paper	the application	on size fee due i	s \$250 (\$125 for
Application Size Fee: If the specification and drawings exceed 100 sheets of paper, the application size fee due is \$250 (\$125 for small entity) for each additional 50 sheets or fraction thereof. See 35 U.S.C. 41(a)(1)(G) and 37 CFR 1.16(s).					
METHOD OF PAYMENT OF FILING FEES	AND APPLICATION	SIZE FEE FOR THIS PR	OVISIONAL A	APPLICATION F	OR PATENT
	· · · · · · · · · · · · · · · · · · ·				
Applicant claims small entity status. Se		t 11 ht a a co		T <u>OTA</u>	L FEE AMOUNT (\$)
A check or money order is enclosed to cover the filing fee and application size fee (if applicable).					
Payment by credit card. Form PTO-203	38 is attached	1 - 11 11 1 0 110			
X The Director is hereby authorized to check Account Number: 502510					ayment to Deposit
		cative copy of this form is		•	
The invention was made by an agency of the X No.	e Onited States Gove	ernment or under a contra	ict with an age	ncy of the Unite	1 States Government.
Yes, the name of the U.S. Governmen	t agency and the Go	Vernment contract numbe	NE 0801		
	ragency and the Go	veriment contract fidinge	nale.		
20.1 12/21	/				
SIGNATURE Richard EL H			Date	17 December	r 2004
TYPED or PRINTED NAME Richard E.L.	. Henderson			ION NO. 🗾	31,619
TELEPHONE 412-777-3916			(if appropriate Docket Numb	er: CS843	2/BCS044003

USE ONLY FOR FILING A PROVISIONAL APPLICATION FOR PATENT

This collection of information is required by 37 CFR 1.51. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to take 8 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Approved for use through 07/31/2006. OMB 0651-0032 U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Under the Panerwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

Effective on 12/08/2004.	Complete if Known			
Fees pursuant to the Consolidated Appropriations Act, 2005 (H.R. 4818).	Application Number	To be Assigned	•	
FEE TRANSMITTAL	Filing Date	Herewith		
For FY 2005	First Named Inventor	Jean-Marie Gouot		
Applicant plains and the status Cop 27 CCD 1 27	Examiner Name			
Applicant claims small entity status. See 37 CFR 1.27	Art Unit			
TOTAL AMOUNT OF PAYMENT (\$) 200.00	Attorney Docket No.	CS8432/BCS04400	3	
METHOD OF PAYMENT (check all that apply)			-	
Check Credit Card Money Order Nor	ne Other (please id	lentify):		
X Deposit Account Deposit Account Number: 50-2510		D . C	Science LP	
For the above-identified deposit account, the Director is he		k all that apply)		
X Charge fee(s) indicated below	Charge fee(s) indicated below, except	for the filing fee	
Charge any additional fee(s) or underpayments of fe	ee(s) X Credit any o	verpayments		
WARNING: Information on this form may become public. Credit card in	formation should not be in	cluded on this form. Provid	e credit card	
information and authorization on PTO-2038.				
FEE CALCULATION				
1. BASIC FILING, SEARCH, AND EXAMINATION FEES FILING FEES SEAF	RCH FEES EXA	MINATION FEES	İ	
Small Entity	Small Entity	Small Entity	Fees Paid (\$)	
Application Type Fee (\$) Fee (\$) Fee (\$)		e (\$) Fee (\$) 00 100	· ces · uid (v)	
Utility 300 150 500		-		
Design 200 100 100		65 .		
Plant 200 100 300		50 80 .		
Reissue 300 150 500	250 60	00 300	200.00	
Provisional 200 100 0	0	0 0	200.00	
2. EXCESS CLAIM FEES			Small Entity Fee (\$) Fee (\$)	
Fee Description Each claim over 20 or, for Reissues, each claim over 20 ar	nd more than in the ori	ginal patent	50 25	
Each independent claim over 3 or, for Reissues, each independent	pendent claim more th	an in the original pater	nt 200 100	
Multiple dependent claims			360 180	
		tiple Dependent Claims		
- 20 or HP = x =		Fee (\$) Fee Paid	<u>(\$)</u>	
HP = highest number of total claims paid for, if greater than 20 Indep. Claims	Paid (\$)			
3 or HP = x =				
HP = highest number of independent claims paid for, if greater than 3				
3. APPLICATION SIZE FEE If the specification and drawings exceed 100 sheets of p	aper, the application s	ize fee due is \$250 (\$1	25 for small entity)	
for each additional 50 sheets or fraction thereof. See 35 U.S.C. 41(a)(1)(G) and 37 CFR 1.16(s).				
	ach additional 50 or frac	ction thereof Fee (\$)	Fee Paid (\$)	
<u>14</u> - 100 = <u>-86</u> / 50 =	(round up to a whole	number) x <u>250.00</u>	_ =0.00	
4. OTHER FEE(S) Fees Paid (\$)				
Non-English Specification, \$130 fee (no small entity discount) Other:				
Signature V: 1 1 1	Registration No.	Telephone	412-777-3916	
more or hum	(Attorney/Agent)		112 177 3310	
Name (Print/Type) Richard E.L. Henderson		Date De	cember 17, 2004	

This collection of information is required by 37 CFR 1.136. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 30 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Fungicidal composition comprising a pyridylethylbenzamide derivative and a compound capable of inhibiting the methionine biosynthesis

The present invention relates to novel fungicide compositions comprising a pyridylethylbenzamide derivative and a compound capable of inhibiting the methionine biosynthesis. The present invention also relates to a method of combating or controlling phytopathogenic fungi by applying at a locus infested or liable to be infested such a composition.

International patent application WO 01/11965 generically discloses numerous pyridylethylbenzamide derivatives. The possibility of combining one or more of these numerous pyridylethylbenzamide derivatives with known fungicidal products to develop a fungicidal activity is disclosed in general terms, without any specific example or biological data.

It is always of high-interest in agriculture to use novel pesticidal mixtures showing a synergistic effect in order notably to avoid or to control the development of resistant strains to the active ingredients or to the mixtures of known active ingredients used by the farmer while minimising the doses of chemical products spread in the environment and reducing the cost of the treatment.

We have now found some novel fungicidal compositions which possess the above mentioned characteristics.

Accordingly, the present invention relates to a composition comprising:
a) a pyridylethylbenzamide derivative of general formula (I)

$$(X)_p$$
 $(Y)_q$
 (I)

in which:

5

10

15

- p is an integer equal to 1, 2, 3 or 4;
- q is an integer equal to 1, 2, 3, 4 or 5;
- each substituent X is chosen, independently of the others, as being halogen, alkyl or haloalkyl;
- each substituent Y is chosen, independently of the others, as being halogen, alkyl, alkenyl, alkynyl, haloalkyl, alkoxy, amino, phenoxy, alkylthio, dialkylamino, acyl,

cyano, ester, hydroxy, aminoalkyl, benzyl, haloalkoxy, halosulphonyl, halothioalkyl, alkoxyalkenyl, alkylsulphonamide, nitro, alkylsulphonyl, phenylsulphonyl or benzylsulphonyl;

as to the N-oxides of 2-pyridine thereof;

5 and

15

20

30

35

b) a compound capable of inhibiting the methionine biosynthesis; in a (a) / (b) weight ratio of from 0.01 to 20.

In the context of the present invention:

10 - halogen means chlorine, bromine, iodine or fluorine;

- each of the alkyl or acyl radicals present in the molecule contains from 1 to 10 carbon atoms, preferably from 1 to 7 carbon atoms, more preferably from 1 to 5 carbon atoms, and may be linear or branched;

- each of the alkenyl or alkynyl radicals present in the molecule contains from 2 to 10 carbon atoms, preferably from 2 to 7 carbon atoms, more preferably from 2 to 5 carbon atoms, and may be linear or branched.

The composition according to the present invention provides a synergistic effect. This synergistic effect allows a reduction of the chemical substances spread into the environment and a reduction of the cost of the fungal treatment.

In the context of the present invention, the term "synergistic effect" is defined by Colby according to the article entitled "Calculation of the synergistic and antagonistic responses of herbicide combinations" Weeds, (1967), 15, pages 20-22.

The latter article mentions the formula:

$$E = x + y - \frac{x * y}{100}$$

in which E represents the expected percentage of inhibition of the disease for the combination of the two fungicides at defined doses (for example equal to x and y respectively), x is the percentage of inhibition observed for the disease by the compound (I) at a defined dose (equal to x), y is the percentage of inhibition observed for the disease by the compound (II) at a defined dose (equal to y). When the percentage of inhibition observed for the combination is greater than E, there is a synergistic effect.

The composition according to the present invention comprises a pyridylethylbenzamide derivative of general formula (I). Preferably, the present

invention relates to a composition comprising a pyridylethylbenzamide derivative of general formula (I) in which the different characteristics may be chosen alone or in combination as being:

- as regards p, p is 2;

5

10

15

20

25

30

35

- as regards q, q is 1 or 2. More preferably, q is 2;
- as regards X, X is chosen, independently of the others, as being halogen or haloalkyl. More preferably, X is chosen, independently of the others, as being a chlorine atom or a trifluoromethyl group;
- as regards Y, Y is chosen, independently of the others, as being halogen or haloalkyl. More preferably, Y is chosen, independently of the others, as being a chlorine atom or a trifluoromethyl group;

More preferably, the pyridylethylbenzamide derivative of general formula (I) present in the composition of the present invention is:

- N-{2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl}-2-trifluoromethylbenzamide (compound 1);
- N-{2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl}-2-iodobenzamide (compound 2); or
- N-{2-[3,5-dichloro-2-pyridinyl]ethyl}-2-trifluoromethylbenzamide (compound 3).

Even more preferably, the pyridylethylbenzamide derivative of general formula (I) present in the composition of the present invention is N-{2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl}-2-trifluoromethylbenzamide (compound 1).

The composition according to the present invention comprises a compound capable of inhibiting the methionine biosynthesis. Preferably, the present invention relates to a composition comprising a compound capable of inhibiting the methionine biosynthesis selected from cyprodinyl and pyrimethanil. Pyrimethanil is preferred.

The composition according to the present invention comprises (a) at least a pyridylethylbenzamide derivative of general formula (I) and (b) a compound capable of inhibiting the methionine biosynthesis in an (a) / (b) weight ratio of from 0.01 to 20; preferably of from 0.05 to 10; even more preferably, of from 0.1 to 5.

The composition of the present invention may further comprise at least one other fungicide active ingredient (c).

The fungicidal active ingredient (c) may be selected from azaconazole, azoxystrobin, $(Z)-N-[\alpha-(cyclopropylmethoxyimino)-2,3-difluoro-6-$

5

10

15

20

25

30

35

(trifluoromethyl)benzyl]-2-phenylacetamide, benalaxyl, benomyl, benthiavalicarb, biphenyl, bitertanol, blasticidin-S, boscalid, borax, bromuconazole, bupirimate, secbutylamine, calcium polysulfide, captafol, captan, carbendazim, carboxin, carpropamid, chinomethionat, chlorothalonil, chlozolinate, copper hydroxide, copper octanoate, copper oxychloride, copper sulfate, cuprous oxide, cymoxanil, cyproconazole, cyprodinil, dazomet, debacarb, dichlofluanid, dichlorophen, diclocymet, diclomezine, dicloran, diethofencarb, difenoconazole, difenzoquat metilsulfate, difenzoquat, diflumetorim, dimethirimol, dimethomorph, diniconazole, dinobuton, dinocap, diphenylamine, dithianon, dodemorph, dodemorph acetate, dodine, edifenphos, epoxiconazole, ethaboxam, ethirimol, ethoxyquin, etridiazole, famoxadone, fenamidone, fenarimol, fenbuconazole, fenfuram, fenhexamid, fenpiclonil, fenoxanil, fenpropidin, fenpropimorph, fentin, fentin hydroxide, fentin acetate, ferbani, ferinizone, fluazinam, fludioxonil, fluoroimide, fluoxastrobin, fluquinconazole, flusilazole, flusulfamide, flutolanil, flutriafol, folpet, formaldehyde, fosetyl, fosetyl-aluminium, fuberidazole, furalaxyl, furametpyr, guazatine, guazatine acetates, hexachlorobenzene, hexaconazole, 8-hydroxyquinoline sulfate, potassium hydroxyquinoline sulfate, hymexazol, cyazofamid, imazalil sulfate, imazalil, imibenconazole, iminoctadine, iminoctadine triacetate, ipconazole, iprobenfos, iprodione, iprovalicarb, isoprothiolane, kasugamycin, kasugamycin hydrochloride hydrate, kresoxim-methyl, mancopper, mancozeb, maneb, mepanipyrim, mepronil, mercuric chloride, mercuric oxide, mercurous chloride, metalaxyl, metalaxyl-M, metam-sodium, metam, metconazole, methasulfocarb, methyl isothiocyanate, mildiomycin, myclobutanil, metiram, metominostrobin, nabam, nickel bis(dimethyldithiocarbamate), nitrothal-isopropyl, nuarimol, octhilinone, ofurace, oleic acid, oxadixyl, oxine-copper, oxpoconazole fumarate, oxycarboxin, pefurazoate, penconazole, pencycuron, pentachlorophenol, sodium pentachlorophenoxide, pentachlorophenyl laurate, phenylmercury acetate, sodium 2phenylphenoxide, 2-phenylphenol, phthalide, picoxystrobin, piperalin, polyoxinspolyoxin B, polyoxin, polyoxorim, probenazole, prochloraz, procymidone, propamocarb, propiconazole, hydrochloride, propamocarb propineb, prothioconazole, pyrazophos, pyributicarb, pyrifenox, pyrimethanil, pyroquilon, quinoxyfen, quintozene, silthiofam, spiroxamine, sulfur, tar oils, tebuconazole, tecnazene, tetraconazole, thiabendazole, thifluzamide, thiophanate-methyl, thiram, tolclofos-methyl, tolylfluanid, triadimefon, triadimenol, triazoxide, tricyclazole, tridemorph, trifloxystrobin, triflumizole, triforine, triticonazole, validamycin, vinclozolin, zineb, ziram, zoxamide, phosphorous acid, pyraclostrobin and simeconazole.

Preferably, fungicidal active ingredient (c) is selected from captane, propineb, fenhexamid, trifloxystrobin, tolylfluanid, iprodione, procymidone and chlorotalonil.

5

10

15

Where the third active ingredient (c) as defined above is present in the composition, this compound may be present in an amount of (a): (b): (c) weight ratio of from 1:0.01:0.01 to 1:20:20; the ratios of compound (a) and compound (c) varying independently from each other. Preferably, the (a): (b): (c) weight ratio may be of from 1:0.05:0.05 to 1:10:10.

Following compositions may be cited to illustrate in a non-limited manner the present invention: compound 1 with cyprodinyl, compound 1 with pyrimethanil, compound 2 with cyprodinyl, compound 2 with pyrimethanil, compound 3 with cyprodinyl, compound 3 with pyrimethanil.

The composition according to the present invention may further comprise an other additional component such as an agriculturally acceptable support, carrier or filler.

20

25

30

35

In the present specification, the term "support" denotes a natural or synthetic, organic or inorganic material with which the active material is combined to make it easier to apply, notably to the parts of the plant. This support is thus generally inert and should be agriculturally acceptable. The support may be a solid or a liquid. Examples of suitable supports include clays, natural or synthetic silicates, silica, resins, waxes, solid fertilisers, water, alcohols, in particular butanol, organic solvents, mineral and plant oils and derivatives thereof. Mixtures of such supports may also be used.

particular, the composition may further comprise a surfactant. The surfactant can be an emulsifier, a dispersing agent or a wetting agent of ionic or non-ionic type or a mixture of such surfactants. Mention may be made, for example, of polyacrylic acid salts, lignosulphonic acid salts, phenolsulphonic or naphthalenesulphonic acid salts, polycondensates of ethylene oxide with fatty alcohols or with fatty acids or with fatty amines, substituted phenols (in particular alkylphenols or arylphenols), salts of sulphosuccinic acid esters, taurine derivatives (in particular alkyl taurates),

phosphoric esters of polyoxyethylated alcohols or phenols, fatty acid esters of

The composition may also comprise other additional components. In

polyols, and derivatives of the above compounds containing sulphate, sulphonate and phosphate functions. The presence of at least one surfactant is generally essential when the active material and/or the inert support are water-insoluble and when the vector agent for the application is water. Preferably, surfactant content may be comprised between 5% and 40% by weight of the composition.

Additional components may also be included, e.g. protective colloids, adhesives, thickeners, thixotropic agents, penetration agents, stabilisers, sequestering agents. More generally, the active materials can be combined with any solid or liquid additive, which complies with the usual formulation techniques.

In general, the composition according to the invention may contain from 0.05 to 99% (by weight) of active material, preferably 10 to 70% by weight.

Compositions according to the present invention can be used in various forms such as aerosol dispenser, capsule suspension, cold fogging concentrate, dustable powder, emulsifiable concentrate, emulsion oil in water, emulsion water in oil, encapsulated granule, fine granule, flowable concentrate for seed treatment, gas (under pressure), gas generating product, granule, hot fogging concentrate, macrogranule, microgranule, oil dispersible powder, oil miscible flowable concentrate, oil miscible liquid, paste, plant rodlet, powder for dry seed treatment, seed coated with a pesticide, soluble concentrate, soluble powder, solution for seed treatment, suspension concentrate (flowable concentrate), ultra low volume (ulv) liquid, ultra low volume (ulv) suspension, water dispersible granules or tablets, water dispersible powder for slurry treatment, water soluble granules or tablets, water soluble powder for seed treatment and wettable powder.

These compositions include not only compositions which are ready to be applied to the plant or seed to be treated by means of a suitable device, such as a spraying or dusting device, but also concentrated commercial compositions which must be diluted before they are applied to the crop.

The fungicidal compositions of the present invention can be used to curatively or preventively control phytopathogenic fungi of crops. Thus, according to a further aspect of the present invention, there is provided a method for preventively or curatively controlling phytopathogenic fungi of crops characterised in that a fungicidal composition as hereinbefore defined is applied to the seed, the plant and/or to the fruit of the plant or to the soil in which the plant is growing or in which it is desired to grow.

The composition as used against phytopathogenic fungi of crops comprises an effective and non-phytotoxic amount of an active material of general formula (I).

35

5

10

15

20

25

The expression "effective and non-phytotoxic amount" means an amount of composition according to the invention which is sufficient to control or destroy the fungi present or liable to appear on the crops, and which does not entail any appreciable symptom of phytotoxicity for the said crops. Such an amount can vary within a wide range depending on the fungus to be combated or controlled, the type of crop, the climatic conditions and the compounds included in the fungicidal composition according to the invention.

5

10

15

20

25

30

35

This amount can be determined by systematic field trials, which are within the capabilities of a person skilled in the art.

The method of treatment according to the present invention is useful to treat propagation material such as tubers or rhizomes, but also seeds, seedlings or seedlings pricking out and plants or plants pricking out. This method of treatment can also be useful to treat roots. The method of treatment according to the present invention can also be useful to treat the overground parts of the plant such as trunks, stems or stalks, leaves, flowers and fruits of the concerned plant.

Among the plants that can be protected by the method according to the invention, mention may be made of cotton; flax; vine; fruit crops such as Rosaceae sp. (for instance pip fruits such as apples and pears, but also stone fruits such as apricots, almonds and peaches), Ribesioidae sp., Juglandaceae sp., Betulaceae sp., Anacardiaceae sp., Fagaceae sp., Moraceae sp., Oleaceae sp., Actinidaceae sp., Lauraceae sp., Musaceae sp. (for instance banana trees and plantins), Rubiaceae sp. Theaceae sp., Sterculiceae sp., Rutaceae sp. (for instance lemons, oranges and grapefruits); leguminous crops such as Solanaceae sp. (for instance tomatoes), Liliaceae sp., Asteraceae sp. (for instance lettuces), Umbelliferae sp., Cruciferae sp., Chenopodiaceae sp., Cucurbitaceae sp., Papilionaceae sp. (for instance peas), Rosaceae sp. (for instance strawberries); big crops such as Graminae sp. (for instance maize, cereals such as wheat, rice, barley and triticale), Asteraceae sp. (for instance sunflower), Cruciferae sp. (for instance colza), Papilionaceae sp. (for instance soja), Solanaceae sp. (for instance potatoes), Chenopodiaceae sp. (for instance beetroots); horticultural and forest crops; as well as genetically modified homologues of these crops.

Among the plants and the possible diseases of these plants protected by the method according to the present invention, mention may be made of:

- wheat, as regards controlling the following seed diseases: fusaria (Microdochium nivale and Fusarium roseum), stinking smut (Tilletia caries, Tilletia controversa or Tilletia indica), septoria disease (Septoria nodorum) and loose smut;

- wheat, as regards controlling the following diseases of the aerial parts of the plant: cereal eyespot (*Tapesia yallundae*, *Tapesia acuiformis*), take-all (*Gaeumannomyces graminis*), foot blight (*F. culmorum*, *F. graminearum*), black speck (*Rhizoctonia cerealis*), powdery mildew (*Erysiphe graminis forma specie tritici*), rusts (*Puccinia striiformis* and *Puccinia recondita*) and septoria diseases (*Septoria tritici* and *Septoria nodorum*);

5

10

15

20

25

30

- wheat and barley, as regards controlling bacterial and viral diseases, for example barley yellow mosaic;
- barley, as regards controlling the following seed diseases: net blotch (Pyrenophora graminea, Pyrenophora teres and Cochliobolus sativus), loose smut (Ustilago nuda) and fusaria (Microdochium nivale and Fusarium roseum);
 - barley, as regards controlling the following diseases of the aerial parts of the plant: cereal eyespot (*Tapesia yallundae*), net blotch (*Pyrenophora teres* and *Cochliobolus sativus*), powdery mildew (*Erysiphe graminis forma specie hordei*), dwarf leaf rust (*Puccinia hordei*) and leaf blotch (*Rhynchosporium secalis*);
 - potato, as regards controlling tuber diseases (in particular *Helminthosporium* solani, *Phoma tuberosa*, *Rhizoctonia solani*, *Fusarium solani*), mildew (*Phytopthora infestans*) and certain viruses (virus Y);
- potato, as regards controlling the following foliage diseases: early blight (Alternaria solani), mildew (Phytophthora infestans);
 - cotton, as regards controlling the following diseases of young plants grown from seeds: damping-off and collar rot (*Rhizoctonia solani, Fusarium oxysporum*) and black root rot (*Thielaviopsis basicola*);
- protein yielding crops, for example peas, as regards controlling the following seed diseases: anthracnose (Ascochyta pisi, Mycosphaerella pinodes), fusaria (Fusarium oxysporum), grey mould (Botrytis cinerea) and mildew (Peronospora pisi);
- oil-bearing crops, for example rape, as regards controlling the following seed diseases: *Phoma lingam, Alternaria brassicae* and *Sclerotinia sclerotiorum*;
- corn, as regards controlling seed diseases: (Rhizopus sp., Penicillium sp., Trichoderma sp., Aspergillus sp., and Gibberella fujikuroi);
 - flax, as regards controlling the seed disease: Alternaria linicola;
- forest trees, as regards controlling damping-off (Fusarium oxysporum, Rhizoctonia solani);
- rice, as regards controlling the following diseases of the aerial parts: blast disease (Magnaporthe grisea), bordered sheath spot (Rhizoctonia solani);

- leguminous crops, as regards controlling the following diseases of seeds or of young plants grown from seeds: damping-off and collar rot (Fusarium oxysporum, Fusarium roseum, Rhizoctonia solani, Pythium sp.);
- leguminous crops, as regards controlling the following diseases of the aerial parts: grey mould (Botrytis sp.), powdery mildews (in particular *Erysiphe cichoracearum*, *Sphaerotheca fuliginea* and *Leveillula taurica*), fusaria (*Fusarium oxysporum*, *Fusarium roseum*), leaf spot (*Cladosporium sp.*), alternaria leaf spot (*Alternaria sp.*), anthracnose (*Colletotrichum sp.*), septoria leaf spot (*Septoria sp.*), black speck (*Rhizoctonia solani*), mildews (for example *Bremia lactucae*, *Peronospora sp.*, *Pseudoperonospora sp.*, *Phytophthora sp.*);
- fruit trees, as regards diseases of the aerial parts: monilia disease (Monilia fructigenae, M. laxa), scab (Venturia inaequalis), powdery mildew (Podosphaera leucotricha);
- vine, as regards diseases of the foliage: in particular grey mould (*Botrytis cinerea*), powdery mildew (*Uncinula necator*), black rot (*Guignardia biwelli*) and mildew (*Plasmopara viticola*);
- beetroot, as regards the following diseases of the aerial parts: cercospora blight (Cercospora beticola), powdery mildew (Erysiphe beticola), leaf spot (Ramularia beticola).

20

25

5

10

15

The fungicidal composition according to the present invention may also be used against fungal diseases liable to grow on or inside timber. The term "timber" means all types of species of wood, and all types of working of this wood intended for construction, for example solid wood, high-density wood, laminated wood, and plywood. The method for treating timber according to the invention mainly consists in contacting one or more compounds of the present invention, or a composition according to the invention; this includes for example direct application, spraying, dipping, injection or any other suitable means.

30

35

The fungicidal composition according to the present invention may also be used in the treatment of genetically modified organisms with the compounds according to the invention or the agrochemical compositions according to the invention. Genetically modified plants are plants into in which genome a heterologous gene encoding a protein of interest has been stably integrated. The expression "heterologous gene encoding a protein of interest" essentially means

genes which give the transformed plant new agronomic properties, or genes for improving the agronomic quality of the transformed plant.

The dose of active material usually applied in the treatment according to the present invention is generally and advantageously between 10 and 2000 g/ha, preferably between 20 and 1500 g/ha for applications in foliar treatment. The dose of active substance applied is generally and advantageously between 1 and 200 g per 100 kg of seed, preferably between 2 and 150 g per 100 kg of seed in the case of seed treatment. It is clearly understood that the doses indicated above are given as illustrative examples of the invention. A person skilled in the art will know how to adapt the application doses according to the nature of the crop to be treated.

The compositions according to the present invention may also be used fore the preparation of composition useful to curatively or preventively treat human and animal fungal diseases such as, for example, mycoses, dermatoses, trichophyton diseases and candidiases or diseases caused by Aspergillus spp. or Candida spp., for example Aspergillus fumigatus or Candida albicans respectively.

20

5

10

CLAIMS

- 5 1. A composition comprising:
 - a) a pyridylethylbenzamide derivative of general formula (I)

$$(X)_p$$
 $(Y)_q$
 $(Y)_q$
 $(Y)_q$

in which:

- p is an integer equal to 1, 2, 3 or 4;
- q is an integer equal to 1, 2, 3, 4 or 5;
- each substituent X is chosen, independently of the others, as being halogen, alkyl or haloalkyl;
 - each substituent Y is chosen, independently of the others, as being halogen, alkyl, alkenyl, alkynyl, haloalkyl, alkoxy, amino, phenoxy, alkylthio, dialkylamino, acyl, cyano, ester, hydroxy, aminoalkyl, benzyl, haloalkoxy, halosulphonyl, halothioalkyl,
- alkoxyalkenyl, alkylsulphonamide, nitro, alkylsulphonyl, phenylsulphonyl or benzylsulphonyl;

as to the N-oxides of 2-pyridine thereof;

and

- b) a compound capable of inhibiting the methionine biosynthesis;
- in a (a) / (b) weight ratio of from 0.01 to 20.
 - 2. A composition according to claim 1, characterised in that p is 2.
 - 3. A composition according to claim 1 or 2, characterised in that q is or 2.

- 4. A composition according to any of the claims 1 to 3, characterised in that X is chosen, independently of the others, as being halogen or haloalkyl.
- 5. A composition according to any of the claims 1 to 4, characterised in that X is chosen independently of the others, as being a chlorine atom or a trifluoromethyl group.

- 6. A composition according to any of the claims 1 to 5, characterised in that Y is chosen, independently of the others, as being halogen or haloalkyl.
- 7. A composition according to any of the claims 1 to 6, characterised in that Y is chosen, independently of the others, as being a chlorine atom or a trifluoromethyl group.
- 8. A composition according to any of the claims 1 to 7, characterised in that the compound of general formula (I) is:
 - N-{2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl}-2-trifluoromethylbenzāmide;
 - N-{2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl}-2-iodobenzamide; or
 - N-{2-[3,5-dichloro-2-pyridinyl]ethyl}-2-trifluoromethylbenzamide.

- 9. A composition according to claim 8, characterised in that the compound of general formula (I) is N-{2-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]ethyl}-2-trifluoromethylbenzamide.
- 10. A composition according to any of the claims 1 to 9, characterised in that the compound capable of inhibiting the methionine biosynthesis is cyprodinyl or pyrimethanil.
 - 11. A composition according to any one of the claims 1 to 10 further comprising a fungicidal compound (c).
 - 12. A composition according to claim 11, characterised in that the fungicidal compound (c) is selected from captane, propineb, fenhexamid, trifloxystrobin, tolylfluanid, iprodione, procymidone and chlorotalonil.
- 30 13. A composition according to any one of the claims 1 to 12, characterised in that it further comprises an agriculturally acceptable support, carrier, filler and/or surfactant.
- 14. A method for preventively or curatively controlling phytopathogenic fungi of crops, characterised in that an effective and non-phytotoxic amount of a composition according to any one of the claims 1 to 13 is applied to the seed, the plant and/or to the

fruit of the plant or to the soil in which the plant is growing or in which it is desired to grow.

ABSTRACT

A composition comprising at least a pyridylethylbenzamide derivative of general formula (I) (a) and a compound capable of inhibiting the methionine biosynthesis (b) in a (a) / (b) weight ratio of from 0.01 to 20.

A composition further comprising an additional fungicidal compound.

10	A method for preventively or	curatively	combating	the	phytopathogenic	fungi	of
-	crops by using this composition	.•			•	•	